Southeast Regional Carbon Sequestration Partnership









Presented to:

Regional Carbon Sequestration Partnerships Annual Review Meeting Development Phase Field Tests

> Pittsburgh, PA October 5, 2010

Presented by:

Gerald R. Hill, Ph.D.
Senior Technical Advisor
Southern States Energy Board

Acknowledgements








- This material is based upon work supported by the U.S. Department of Energy National Energy Technology Laboratory.
- Cost share and research support provided by SECARB/SSEB Carbon Management Partners



Through innovations in energy and environmental policies, programs and technologies, the Southern States Energy Board enhances economic development and the quality of life in the South.

- SSEB Mission Statement



SECARB Participants: Diverse and Numerous (100+)

Advanced Resources International Alabama Power Company Alpha Natural Resources American Coalition for Clean Coal Electricity

American Electric Power Amvest Gas Resources, Inc.

AMVEST Oil and Gas

ARCADIS US

Arch Coal

Augusta Systems, Inc.

Baker Hughes, Inc.

Blue Source

Bright Energy, LLC

BP America, Inc.

BP Alternative Energy

CDX Gas, LLC

ClemsonUniversity

CNX Gas

CONSOL, Inc.

CSX Transportation

Dart Oil & Gas Corporation

Dart Energy Corporation

Denbury Resources, Inc.

DNV

Dominion Energy

Dominion Resources

Duke Energy

Dupont Titanium Technologies

Eastern Coal Council

Electric Power Research Institute (EPRI)

Entergy Services

Equitable Production Company

Exxon Mobil Production Company

F.D. Robertson

Florida Municipal Electric Association

Florida Power & Light Company

Geological Survey of Alabama

GeoMet

Halliburton

Hilcorp Energy Company

Kentucky Energy & Environment-Division of

Energy Development & Independence

Kentucky Geological Survey

Interstate Oil and Gas

Compact Commission

Marshall Miller & Associates

Massachusetts Institute of Technology

McJunkin Appalachian Oilfield Company

Mississippi Power Company

Mississippi State University (MSU)

Natural Resources Partners

NRG Energy

Old Dominion Electric Cooperative

Penn Virginia Operating Company, LLC

Penn Virginia Resources

Petron Resources

Piney Land Company

Pocahontas Land Corporation

Praxair

Progress Energy

RMB Earth Science Consultants, Ltd.

Santee Cooper Power

SCANA Energy

Schlumberger

Shell Exploration & Production Company

S&ME, Inc/ EMS Services

Smith Energy

South Carolina Electric & Gas Company

Southern Company

Southern Company Services

Southern Natural Gas & El Paso

Exploration and Production

Southern States Energy Board

Teco Coal Corporation

Tennessee Valley Authority

Texas Bureau of Economic Geology

-Gulf Coast Carbon Center

U.S. Department of Energy/National

Energy Technology Laboratory

Virginia Tech

VA Center for Coal and Energy Research

West Virginia University

SECARB Phase II



Coal Seam Project Host Company: El Paso E&P near Tuscaloosa, Alabama

> **Mississippi Test Site** Mississippi Power's Plant Daniel Escatawpa, Mississippi





near Natchez, Mississippi







SECARB Phase III

SECARB Early Test was recognized by DOE for furthering CCS technology and meeting G-8 goals for deployment of 20 similar projects by 2020. The Early Test is the fifth project worldwide to reach the CO₂ injection volume of one million tonnes and the first in the U.S.

- (DOE Techline, 11/05/2009)



Denbury Resources' Cranfield Field Near Natchez, Mississippi





Anthropogenic Test

Capture: Alabama Power Plant Barry, Bucks, Alabama

Transportation: Denbury Resources


Geo Storage: Denbury's Citronelle Field, Citronelle, Alabama


SECARB Early Large Volume Injection Tests

Cranfield Unit operated by Denbury Resources Inc


Depth >10,300 ft

Injection Zone – lower Tuscaloosa Formation Injection rate>1 Million tonnes per year







Cranfield Geometric Overview



Cranfield Early Test Monitoring: Detailed Area of Study





Reservoir heterogeneity from

surface seismic

- Stratal slicing for facies
- 90-degree phase
- AVF for thickness/fluid

Point


bar

Channel


Point bar

AVO for fluid/OWC


Chan



Crosswell ERT (Electric Resistance Tomography)




Nulled Background at Initiation Of Injection (1 Dec 2009)







Injector Workover Fluids? (4 Dec 2009)




Arrival of CO₂ Plume? (9 Dec 2009)




Growth Of CO₂ Plume? (21 Dec 2009)




Growth Of CO₂ Plume? (11 Jan 2010)




Growth Of CO₂ Plume? (13 Jan 2010)




Growth Of CO₂ Plume? (5 Feb 2010)




Growth Of CO₂ Plume? (23 Feb 2010)



Cross Well ERT – clues to how flow occurred



Cross Well ERT tells us how flow occurred




Resistive plume = CO2 in reservoir Conductive plume= workover fluids?



Phase III Anthropogenic Test Integrating Capture, Transportation and Storage of CO₂


- CO₂ Capture Unit at Alabama Power's Plant Barry
- 12-mile CO₂ pipeline constructed by Denbury Resources
- CO₂ Injection at Denbury's Citronelle Field 2011-2013
- SECARB researchers will monitor injection and 3-years post injection



Geologic Overview for Plant Barry and Citronelle Field


Proposed sequestration site is on the southeast flank of the Citronelle Dome





- No evidence of faulting or fracturing
- Multiple confining units between potential injection targets and base of USDW
- However, historic oil and gas wells and a lack of local characterization of saline reservoirs presents challenges






Expected Reservoir Intersection Depths at Citronelle


Formation Tops	Anticipated Depth Feet	Interval Thickness Feet
Bottom of Fresh Water (<1,000 mg/l)	~ 1,000	1,000
Bottom of Potable Water (<10,000 mg/l)	Max ~ 2,000	1,000
Selma Chalk Group	4,550	1,150
Eutaw Group	5,700	300
Upper Tuscaloosa Formation	6,000	700
Marine Tuscaloosa Formation	6,700	250
Lower Tuscaloosa Formation	6,950	300
Washita-Fredericksburg Undifferentiated	7,250	2,150
Paluxy Formation	9,400	1,100
Mooringsport Formation	10,500	250
Ferry Lake Anhydrite	10,750	200
Rodessa Formation (oil reservoir)	10,950	-

CO₂ Injection Monitoring Plan





Model 3-D View of Citronelle Injection Site




- 17 sand bodies from geological model
- Average permeability of 88 mD
- Average porosity of 19.3%
- Identical permeability and porosity in all layers

Capture Unit at Alabama Power's Plant Barry


MHI advanced amine capture unit

*ENERGY BOARD

- 25 MW post combustion slip stream
- Fabricate off-site and barge to Plant Barry
- Compress CO₂ to 2000 psi
- Scheduled start up during summer, 2011
- Separately funded




Simplified CO₂ Scrubbing Process (Amine)



Groundbreaking Ceremony: Capture Unit

Alabama Power's Plant Barry, April 14, 2010, Bucks, Alabama










Site Progress Photos (7-28-10)





Modular Transportation Photos (9-23-10)



Integration Questions







- What business relationships must be established among the CO₂ provider, transporter and injection field operator?
- How can a CO₂ transportation and injection system impact plant operations and scheduling?
- How can cycling a plant on-line and off-line impact CO₂ transportation and injection?
- What types of communications and control systems are needed to support integration?
- How can lessons learned assist in scale up?





Gerald R. Hill, Ph.D. Senior Technical Advisor hill@sseb.org





Southern States Energy Board

6325 Amherst Court Norcross, Georgia 30092 USA

Phone: (770) 242-7712

Fax: (770) 242-0421

www.sseb.org www.secarbon.org